


**HORIZONTAL BLENDER
MH 1000 - 3000 - 5000**



**HORIZONTAL MIXER FOR THE PREPARATION
OF ANIMAL FEEDSTUFFS.**

OVERALL DIMENSIONS




		TYPE		
		MH 1000	MH 3000	MH 5000
DIMENSIONS IN mm	A	820	1110	1350
	B	2450	2960	3520
	C	920	845	590
	D	2020	2520	3030
	E	1850	2140	2170
	F	850	780	520
MAX LOAD IN kg		500	1200	2000
CAPACITY IN LITRES		1200	2800	5000
POWER IN kW		3	7.5	15

CAPACITY OF 7000 AND 9000 LITRES ON REQUEST

SPECIFICATIONS

CONSTRUCTION	<ul style="list-style-type: none"> - E24 steel plate - front panels reinforced with stiffeners - hollow reverse pitch spiral blades
EQUIPMENT	<ul style="list-style-type: none"> - emptying by slide flap under the tank - sealing of shaft penetration by lip seals
TRANSMISSION	by chain and toothed wheel under housing with tension pinion
DRIVE	motor-gearbox unit fixed under the housing
ELECTRICAL EQUIPMENT	<p>Standard: thermomagnetic circuit breaker (on MH1000 – 3000 only) Or Optionally: electrical box comprising: isolating switch controlled from the outside, operating direction reverser, contactor and thermal cut-out, on/off button or electronic started or frequency converter for speed variation</p>
OPTIONS	<ul style="list-style-type: none"> - electrical actuator to control the slide valve - helmet valve at the bottom of the tank for bagging-off - oil dosing system with centrifugal pump



reverse pitch spiral blades



transmission by chain with tensioner



Loading by roof or
air inlet from the side



Slide valve under tank

ACCESSORIES



- Concentrated minerals and additives hopper



- Helmet valve at the bottom of the tank



EXAMPLE OF USE



BMH assembly for electronic weighing



Rolling mill mixer with bucket loading hopper



The technical specifications may be subject to change without notice



47170 POUDENAS - FRANCE

Tel.: +33 (0)5 53 65 73 55

Fax: +33 (0)5 53 97 33 05

e-mail: elevage@electra.fr

Internet: www.electra.fr